

Specification

Semi Dull Chip

| Test | Method | Unit | Range of Control |
|---------------------|------------------|-------------|-------------------------|
| Intrinsic Viscosity | HTT-200-1415 | - | 0.64 +/- 0.01 |
| Carboxyl end groups | HTT-200-1416 | meq / kg | 70 max. |
| Color Value L | HTT-200-1417 | - | 72 min. |
| Color Value b | HTT-200-1417 | - | 5.0 max. |
| Diethylene Glycol | HTT-200-1421 | mol% | 2.3 max. |
| Moisture | HTT-200-1413 | wt% | 0.2 max. |
| Melting Point | HTT-200-1422 | °C | 255 +/- 2 |
| Granule Size | Chemical Balance | pcs/g | 25 +/- 5 |