

Specification

RPET Resin 80

Properties	Unit	Range of Control
Intrinsic Viscosity	dl/g	0.80 +/- 0.03
Granulate size	mm	2-4 mm
Humidity	%	≤ 0.2 %
Colour	L	> 67
	a	-5 up to 0
	b	-3 up to +2
Acetaldehyd	ppm	≤ 1
Bulk density	kg/m ³	ca. 900
Dust content	%	< 0.01
Filter unit	my	50
Crystallization grade	%	ca. 35
Melting point	°C	ca. 250